WWW.AIRSOFT-INNOVATIONS.COM

COSMETIC SPOON KIT FOR A.I. TORNADO IMPACT GRENADE

USER'S MANUAL

AIRSOFT INNOVATIONS

WWW.AIRSOFT-INNOVATIONS.COM

We at Airsoft Innovations stand by our products.
Check out **www.airsoft-innovations.com** for:

- Our full line of products and accessories
- Replacement parts
- Instructions
- Video tutorials
- Troubleshooting guides
- Technical articles
- Foreign language downloads!

Contact one of our friendly Canadians!
Support: support@airsoft-innovations.com
Dealer inquiries: wholesale@airsoft-innovations.com

WWW.AIRSOFT-INNOVATIONS.COM

We at Airsoft Innovations stand by our products.
Check out **www.airsoft-innovations.com** for:

- Our full line of products and accessories
- Replacement parts
- Instructions
- Video tutorials
- Troubleshooting guides
- Technical articles
- Foreign language downloads!

Contact one of our friendly Canadians!
Support: support@airsoft-innovations.com
Dealer inquiries: wholesale@airsoft-innovations.com

WWW.AIRSOFT-INNOVATIONS.COM

AIRSOFT INNOVATIONS

USER'S MANUAL

COSMETIC SPOON KIT FOR A.I. TORNADO IMPACT GRENADE

WWW.AIRSOFT-INNOVATIONS.COM

PLEASE READ CAREFULLY

ASSUMPTION OF RISKS

THERE IS A SERIOUS RISK OF PERSONAL INJURY, DEATH OR PROPERTY DAMAGE ARISING OUT OF THE USE OR MISUSE OF THIS PRODUCT. BY USING THIS PRODUCT, YOU AGREE TO FREELY ACCEPT AND FULLY ASSUME ALL SUCH RISKS.

AIRSOFT INNOVATIONS

TORNADO TIMER GRENADE

The original Al Tornado Grenade. Explodes on a 1.5 or 3 second timer.

GUNGAS KIT

Save on gbb propellant with our famous propane and duster adaptors bundled with light-weight silicone oil.

GAS PRESSURE GAUGE

Check the pressure of your propellants and optimize your gbb or tornado's performance!

ASSUMPTION OF RISKS

THERE IS A SERIOUS RISK OF PERSONAL INJURY, DEATH OR PROPERTY DAMAGE ARISING OUT OF THE USE OR MISUSE OF THIS PRODUCT. BY USING THIS PRODUCT, YOU AGREE TO FREELY ACCEPT AND FULLY ASSUME ALL SUCH RISKS.

PLEASE READ CAREFULLY

AIRSOFT INNOVATIONS

TORNADO TIMER GRENADE

The original Al Tornado Grenade. Explodes on a 1.5 or 3 second timer.

GUNGAS KIT

Save on gbb propellant with our famous propane and duster adaptors bundled with light-weight silicone oil.

GAS PRESSURE GAUGE

Check the pressure of your propellants and optimize your gbb or tornado's performance!

DEPLOYMENT

1. ***UPON ENTERING LIVE FIRE AREA:*** **2.** ***DEPLOYMENT:***

Press pin and pull it out.
Screw on valve cover to arm grenade.
Toss grenade at a solid surface eg:
-Floors (concrete, wood, hard packed earth, short grass).
-Walls and stairs.
Avoid throwing grenade against sand, long grass and helmets.

!PRIMARY WARNINGS!

- Please read your Tornado grenade manual before using this product.
- Make sure spoon head is firmly mounted before filling gas.
- Do not disassemble grenade, it is not user serviceable without the Tornado maintenance kit. See www.airsoft-innovations.com for details.
- Lubricate your grenade after every other use.
- Give your grenade 5 minutes to warm up after filling gas to ensure proper timer performance.

DEPLOYMENT

1. ***UPON ENTERING LIVE FIRE AREA:*** **2.** ***DEPLOYMENT:***

Press pin and pull it out.
Screw on valve cover to arm grenade.
Toss grenade at a solid surface eg:
-Floors (concrete, wood, hard packed earth, short grass).
-Walls and stairs.
Avoid throwing grenade against sand, long grass and helmets.

!PRIMARY WARNINGS!

- Please read your Tornado grenade manual before using this product.
- Make sure spoon head is firmly mounted before filling gas.
- Do not disassemble grenade, it is not user serviceable without the Tornado maintenance kit. See www.airsoft-innovations.com for details.
- Lubricate your grenade after every other use.
- Give your grenade 5 minutes to warm up after filling gas to ensure proper timer performance.

ARMED SAFE

INSTALLATION

ATTENTION

The Tornado Impact Grenade relies solely on the removal of the pin and impact with a hard surface to detonate. This spoon kit enhances the appearance of the Tornado Impact Grenade.

1. Remove the rubber bumber from Impact Grenade Top Cap.

6. Screw on top cap.

7. Fill with propane or duster gas.

8. Load bb's into bb spirals until full. The Tornado Grenade holds appx. 200bb's.

2. Install the spoon head assembly on your grenade's top cap. Ensure the spoon head assembly **sits flush** with the top cap. Secure it in place by **tightly** screwing down the included grub screw into the threaded hole of the spoon head assembly with a 2mm hex key.

WARNING
If the head is not properly tightened, it could pop off when thrown.

Note: installation is completely reversible!

WARNING
Verify that inside of the grenade is clean, do not reload with dirty gloves or hands.

3. Thread trigger parts onto pin.

4. Like this.

5. Align top cap so that the pin fits into the hole in the shuttle.

LOADING

WARNING

Make sure grenade is disarmed and depressurized before starting reloading procedure.

1. Unscrew topcap.
2. Insert new grenade pin, catching the end on the inside of the spoon.

IMPORTANT

The default Impact Grenade Pin and pin included for use with the Spoon Kit are **NOT INTERCHANGEABLE**. Ensure you are using the correct pin.

The correct Spoon Kit Pin is longer than the standard pin.

3. Swing on Tornado Grenade Spoon
4. Insert cotter pin through holes in spoon head and spoon.
5. Splay out the ends of the cotter pin

LOADING

WARNING

Make sure grenade is disarmed and depressurized before starting reloading procedure.

1. Unscrew topcap.
2. Insert new grenade pin, catching the end on the inside of the spoon.

IMPORTANT

The default Impact Grenade Pin and pin included for use with the Spoon Kit are **NOT INTERCHANGEABLE**. Ensure you are using the correct pin.

The correct Spoon Kit Pin is longer than the standard pin.